

GUREVICH, M.I. [Gurevych, M.I.]; BEFSHTEYN, S.A.; GOLOV, D.A. [Golov, D.O.]

Device for the synchronous recording of changes in oxygen tension
and tissue blood stream. Fiziol. zhur. [Ukr.] 11 no.6:840-844
N-D '65. (MIRA 19:1)

1. Laboratoriya fiziologii krovoobrashcheniya Instituta fiziologii
im. Bogomol'tsa AN UkrSSR, Kiyev.

U-4552-67 EWP(a)/EWP(1)/EWP(m)/EWP(m)/EWP(w)/EWP(k) MM/EN/GD

ACC NR: AT6016794

(N)

SOURCE CODE: UR/0000/65/000/000/0229/0235

AUTHOR: Gurevich, M. I.

49

46

BT1

ORG: Moscow Institute of Railroad Transportation Engineers, Moscow (Moskovskiy Institut inzhenerov zheleznodorozhnogo transporta)

TITLE: Vortex near the free surface

SOURCE: International Symposium on Applications of the Theory of Functions in Continuum Mechanics. Tiflis, 1963. Prilozheniya teorii funktsiy v mehanike sploshnoy sredy. t. 2: Mekhanika zhidkosti i gaza, matematicheskiye metody (Applications of the theory of functions in continuum mechanics. v. 2: Fluid and gas mechanics, mathematical methods); trudy simpoziuma. Moscow, Izd-vo Nauka, 1965, 229-235

TOPIC TAGS: vortex flow, underwater wing, fluid surface, boundary layer suction, ideal fluid, incompressible fluid, weightless fluid

ABSTRACT: Fundamental works on the theory of a submerged wing assume that the free surface differs little from the horizontal level of an unperturbed fluid. This approach a priori excludes the application of the theory to the case of small submersions by means of an explicit

Card 1/2

L 04882-67

ACC NR: AT6016794

3

solution of at least a simplified problem. In the present paper a solution is found for the flow of an ideal, incompressible, weightless fluid with a free surface past vortices. The flow is bounded at the bottom by a solid horizontal wall. It is noted that h_{\min} (where h is depth) is independent of the flow rate ($q/2$). Without disrupting the flow pattern the vortex cannot be closer to the free surface than $2 v_0$ (where v_0 is flow rate, q is circulation). This is an important fundamental difference between a nonlinear problem and its linearized approximation, since in the latter case the vortex may be located as close to the free surface as desired. The fact of the existence of h_{\min} in the real case of an underwater wing corresponds to the beginning of air suction, i.e., the appearance of cavitation when the wing approaches too close to the free surface. Orig. art. has: 17 formulas and 6 figures.

SUB CODE: 20/ SUBM DATE: 13Sep65/ ORIG REF: 005/ OTH REF: 003

Card 2/2 *copy*

1999. **Neuro-humoral Changes in Reflexogenic Hypertension.** (К вопросу о нейро-гуморальных сдвигах при рефлексогенной экспериментальной гипертонии)

M. I. GUREVICH. *Архив Патологии [Arkh. Patol.]* 12, No. 1, 36-40, 1950. 13 refs.

Hypertension was induced in rabbits by means of bilateral resection of the neuro-receptors in the arch of the aorta and the carotid sinuses. Blood pressure, pulse, and pupillary reactions to adrenaline and pilocarpine were studied. The adrenergic activity of the blood was measured biologically on isolated hearts of frogs, and cholinergic activity on escerinized back muscles of leeches. Cholinesterase was estimated by titration. The results demonstrated that such induced hypertension is associated with an increase in the sympathicomimetic properties of the blood, which is accounted for to a large extent by the presence of adrenaline-like substances. The author concludes that increase in sympathetic tone plays an important part in the pathogenesis of such hypertension.

L. Crone

Abstracts of World Medicine
Vol 8 1950

GUREVICH, M.I., kand.med.nauk

Comparison of neurohumoral shifts in reflexogenic and renal forms
of experimental hypertension. Medich.zhur. 20 no.3:9-20 '50.

(MIRA 11:1)

1. Z viddilu eksperimental'noi patologii (zaviduvach - chlen-
korespondent AMN SRSR prof. M.M.Gorev) Institutu eksperimental'noi
biologii i patologii im. skad. O.O.Bogomol'tsaya Ministerstva
okhoroni zdorov'ya URSR (direktor - prof. O.O.Bogomolets')
(HYPERTENSION) (BODY FLUIDS) (REFLEXES)

GUREVICH, M.I.

Neuro-humoral changes in experimental renal hypertension. Arkh. pat.,
Moskva 13 no.4:23-27 July-Aug 1951. (GLML 21:2)

1. Of the Department of Experimental Pathology (Head -- Prof. N. N. Gorev, Corresponding Member of the Academy of Medical Sciences USSR), Institute of Experimental Biology and Pathology imeni Academician A. A. Bogomolets, Ministry of Public Health Ukrainian SSR.

Physiologist

GUREVICH, M.I.

GUREVICH, M.I.

Problems of pathogenesis, prophylaxis and therapy of hypertension.
Medich. zhur. 23 no.5:90-95 '53. (MLRA 8:2)
(HYPERTENSION)

GOREV, V.I.; GUREVICH, M.I.

Characteristics of the functional state of the central nervous system in hypertension. *Medich. zhur.* 24 no.2:35-41 '54.
(MLRA 8:10)

1. Institut fiziologii im. O.O. Bogomol'tsya Akademii nauk URSR (laboratoriya fiziologii krovoobigru i dykhannya) ta Kyiv's'kiy medichniy stomatologichnyi institut (kafedra patologichnoy fiziologii)

(HYPERTENSION, physiology.

CNS)

(CENTRAL NERVOUS SYSTEM, in various diseases,
hypertension)

GUREVICH, M.I.; TKACHUK, V.P.

Capillary changes in experimental hypertension. Medich.zhur. 24
no.6:78-82 '54. (MLRA 8:?)

1. Institut fiziologii im. O.O.Bogomol'tsya Akademii nauk URSR.
(HYPERTENSION, experimental,
capillary changes)
(CAPILLARIES, in various diseases,
exper. hypertension)

GURBVICEH, M.I.; IL'CHEVICH, M.V.

Materials on the problem of the effect of prolonged sleep on the course of clinical and experimental hypertension. *Fiziol.zhur.* (Ukr.) 1 no.1:40-45 Ja-F '55.. (MLRA 9:9)

1. Institut fiziologii imeni akademika O.O.Bogomol'tsya Akademii nauk URSR, Laboratoriya fiziologii krovoobigu i dikhannya.
(HYPERTENSION) (SLEEP--THERAPEUTIC USE)

GUREVICH, M.I.

Disorders in the higher nervous activity in experimental renal hypertension. *Fiziol. zhur. [Ukr.]* 1 no.2:62-71 Mr-AP '55.

(MIRA 9:9)

1. Institut fisiologii imeni akademika O.O.Bogomol'tsya Akademii nauk URSR, Laboratoriya fisiologii kroboobigii i dikhannya.

(HYPERTENSION) (GENERAL CORTEX)

GUREVICH, M. I.
USSR/Medicine - Physiology

FD-27-8

Card 1/2 Pub 17-7/20

Author : Gurevich, M. I.
Title : On the functional state of the central nervous system in experimental hypertension. Report 1: The effect of medicated sleep on the chronaxy of muscles in experimental hypertension
Periodical : Byul. eksp. biol. i med. 4, 29-32, Apr 1955
Text : Seeks experimental evidence to justify the view that the focal point of stimulation in the subcortical region of the brain evidenced in experimental hypertension (v.N.N. Gorev, "Nervous Regulation and Respiration", published by Academy of Medical Sciences: USSR, 1952) is linked with a breakdown in the dynamics of the basic cortical processes. In connection with the above, put rabbits with a reflexogenic form of experimental hypertension under prolonged, medicated sleep, using it as a method for pathogenic analysis of experimentally produced, protracted elevation of the arterial blood pressure. Evaluated the functional state of the C. N. S. by chronaximetry. Tables; graphs. Fourteen references, 12 of them USSR (9 since 1940).

FD-25-9

Card 2/2

Institution : Laboratory of the Physiology of Circulation and Respiration (Head - Prof. N. N. Gorev, Member of the Academy of Medical Sciences USSR) of the Institute of Physiology imeni A. A. Bogomolets (Director - Prof. A. M. Vorob'yev, Corresponding Member of the Academy of Sciences UkrSSR) of the Academy of Sciences UkrSSR, Kiev.

Submitted : March 20, 1954 by N. N. Gorev, Member of the Academy of Medical Sciences USSR

GUREVICH, M. I.

Materials on the physiological basis for treating hypertension
by prolonged sleep. Visnyk AN URSR 26 no.5:24-27 My '55.
(Hypertension) (Sleep--Therapeutic use) (MIRA 8:8)

GUREVICH, M.I.; KONDRATOVICH, M.A.

The Eighth All-Union Conference of Physiologists, Biochemists, and
Pharmacologists. Visnyk AN URSR 26 no.7:58-63 Jl'55. (MLR 8:10)
(Physiology--Congresses) (Biochemistry--Congresses) (Pharma-
cology--Congresses)

GUREVICH, M. I.

5019. Functional condition of the central nervous system in experimental hypertension. I. Effect of therapeutic sleep on the

character of muscle in experimental hypertension. M. I. Gurevich
Sov. Gasper. Biol. Med., 1955, 39, 29-32. *Referred to* *Therapy* 3200
Abstr. No. 50222 --In rabbits with a subcut. injection of 10 ml. of 15% urethane sleep is produced (18 hr. in 24). During the course of 10 days in normal rabbits there is seen a gradual softening of the muscle and the muscles of the head and neck are more pliable. In the experimental animals, in the same period of time, the softening of the muscle is more pronounced. The period of sleep is shortened. The lengthening of the reflexes dampened, and the tone of these animals is also less marked. When a pin is applied to the skin of the vibrissae region and when the animal is in a state of sleep, the reflexes of inhibition in the cortex (Russian). U.S. 8-2110

GUREVICH, M.I.; KVITNITSKIY, M.Ye.

Electrocardiogram in healthy dogs. *Fiziol.zhur. [Ukr.]* 2 no.1:42-46
Ja-F '56. (MLRA 10:1)

1. Institut fiziologii imeni O.O.Bogomol'tsaya Akademii nauk URSR.
Laboratoriya fiziologii krovoobigui i dikhannya.
(DOGS--PHYSIOLOGY) (ELECTROCARDIOGRAPHY)

USSR/Human and Animal Physiology - Circulation.

v-4

Abs Jour : Ref Zhur - Biol., No 4, 1958, 18185

Author : M.I. Gurevich

Inst :
Title : The Characteristics of the Cardiovascular Component of
the Conditioned Feeding Response in Animals with Experi-
mental Hypertension.

Orig Pub : Fiziol. zh., 1956, 2, No 6, 122-128

Abstract : In strong, even-tempered, active dogs the cardiovascular component of the conditioned-reflex response is stable and stereotyped. In weak dogs and in those in which the excitatory process predominates over the inhibitory, changes in arterial pressure and cardiac rhythm were more pronounced and unstable. Alteration and "encounter" produced transient disturbances in higher nervous activity and a short-term increase in blood pressure as well as disruption of the power relationships of the

Card 1/2

APPROVED FOR RELEASE: 03/20/2001. CIA-RDP86-00513R000617420009-2

Abs Jour : Ref Zhur - Biol., No 4, 1958, 18185

cardiovascular component. In the case of short-term and chronic forms (reflex and renal) of experimental hypertension, the cardiovascular component of the feeding reflex was strengthened, especially in the initial period of the development of hypertension. A disturbance was noted in the power relationships of the cardiovascular component and of the salivary component. A common mechanism was established for disturbances to the central nervous system associated with various forms of experimental hypertension.

Card 2/2

GUREVICH, N. I., Doc of Med Sci -- (diss) "Experimental data on the functional status of the higher segments of the central nervous system during hypertension." Kiev, 1957, 16 pp (Department of Biological Sciences, Academy of Sciences UkrSSR), 100 copies (KL, 35-57, 108)

USSR/Human and Animal Physiology (Normal and Pathological).
Blood Pressure. Hypertension.

T-4

Abs Jour : Ref Zhur - Biol., No 16, 1958, 74781

Author : Gorev, N.N., Gurevich, M.I.

Inst : -

Title : On the Condition of the Higher Sections of the Central Nervous System During Experimental Hypertension.

Orig Pub : V sb. Probl. fiziol. tsentr. nervn. sistemy, M.-L., AN SSSR, 1957, 200-206.

Abstract : In dogs, reflexogenic hypertension (by means of reaction of the pressoreceptor apparatus of the aortic arch and of the carotid sinus) and renal hypertension (narrowing of the lumen of the renal artery) were obtained. In I the primary phase of hypertension, there was a weakening of the process of the internal inhibition, and later even of the process of stimulation. Study of the dynamics of unconditioned food reflexes and subordinated chronaxy found

Card 1/2

- 60 -

GUREVICH, M. I.

GUREVICH, M. I., kand.med.nauk; MAN'KOVSKIY, N.B., kand.med.nauk; PENEK, N.V.

Therapeutic use of ultrasound in treating nervous diseases. Vrach.
delo no.10:1013-1017 0 '57. (MIRA 10:12)

1. Laboratoriya krovoobrashcheniya i dykhaniya (rukoveditel' - deyatl. chlen AMN SSSR, prof. N.N.Gorev), otdel eksperimental'noy i klinicheskoy nevrologii (zav. - chlen-korr. AN USSR prof. A.P.Makarchenko) Instituta fiziologii im. A.A.Bogomol'tsa AN USSR i klinika nervnykh bolezney (zav. - deyatl. chlen AMN SSSR, prof. B.N.Man'kovskiy) Kiyevskogo meditsinskogo instituta.

(ULTRASONIC WAVES--THERAPEUTIC W VES)
(NERVOUS SYSTEM--DISEASES)

GUREVICH, M.I.

Ultrasonic waves and their therapeutic use. Visnyk AN URSR 28 no.2:
47-53 F '57. (MLRA 10:4)

(Ultrasonic waves--Therapeutic use)

GUREVICH, Moisey Isayevich [Hurevych, M.I.]; KONDRATOVICH, Marat Aviatovich
[Kondratovych, M.A.]; MAKARCHENKO, O.F., prof., otv.red.;
NERUSH, A.I., red.izd-va; KOLOMIYCHUK, V.O., tekhn.red.

[Medical science against religious prejudice] Medychna nauka
proti religiinykh zaboboniv. Kyiv, Vyd-vo Akad.nauk URSS, 1958.
44 p. (MIRA 12:4)

1. Chlen-korrespondent AN USSR (for Makarchenko).
(MEDICINE AND RELIGION)

GUREVICH, N. I., CHERKASSKIY, L.P. (Kiyev)

Effect of ultrasonic oscillations on cardiac function in frogs.
[with summary in English]. Pat. fiziol. i eksp. terap. 2 no.3
40-43 My-Je '58 (MIRA 11:?)

1. Iz laboratori i krovobrashcheniya i dykhaniya Instituta
fiziologii AN USSR imeni A.A. Bogomol'tsa i patofizicheskoy
laboratori Ukrainskogo nauchno-issledovatel'skogo instituta
tuberkuliza imeni F.G. Ianovskogo (rukoveditel' - deystvital'nyy
chlen AMN SSSR prof. N.N. Gorev).

(HEART, physiology,
eff. of ultrasonics in frogs (Rus))
(ULTRASONICS, effects,
on heart in frogs (Rus))

GURBICH, M.I.; KVITNITSKIY, M.Ye. [Kvitnyts'kyi, M.I.E.]

Changes in the functional state of the myocardium and disorders of coronary blood circulation in dogs with experimental hypertension. [with summary in English]. Fiziol.zhur. [Ukr.] 4 no.1:82-89 Ja-F '58. (MIRA 11:3)

1. Institut fiziologii im. O.O.Bogomol'tsya Akademii nauk URSR, laboratoriya fiziologii kravoobigii i dikhannya.

(HYPERTENSION)

(BLOOD--CIRCULATION, DISORDERS, OF)

GUREVICH, M. I. [HUREVYCH, M. I.]

Use of ultrasonic vibrations in medicine and biology. *Fiziol.* (MIRA 11:7)
zhur. [Ukr.] 4 no.3:408-420 My-Je '58

1. Institut fiziologii im. O.O. Bogomol'tsya AN URSR, laboratoriya
fiziologii dikhaniya i krovobigru.
(ULTRASONIC WAVES)

DYACHENKO, S.S., BERNASOVSKAYA, Ye.P. [Bernasova'ka, Ye.P.], GUREVICH, M.I. [Hurevych, M.I.], ANCHEVSKAYA, M.S. [Anchevs'ka, M.S.], IL'CHEVICH, N.V., [Il'chevych, M.V.]

Studying the effect of ultrasonic vibrations on some microorganisms.
Report No.1: The destructive effect of ultrasound [with summary in English]. Fiziol. zhur. Ukr. 4 no.5:612-623 S-0 '58 (MIRA 11:11)

1. Institut fiziologii im. A.A. Bogomol'tsa AN USSR, laboratoriya krovoobrashcheniya i dykhaniya i Kiyevskiy institut epidemiologii i mikrobiologii, laboratoriya mikrobiologii.
(ULTRASONIC WAVES--PHYSIOLOGICAL EFFECT)
(BACTERIA)

GOREV, N.N., prof.; GUREVICH, M.I. (Kiyev)

Some problems in the pathogenesis of myocardial infarct according to
experimental data, Pat.fiziol. i eksp.torap. 3 no.6:3-13 N-D '59.
(MIRA 13:3)

1. Deyatvitel 'nyy chlen AMN SSSR (for Gorev)
(MYOCARDIAL INFARCT etiology)

BALITSKIY, K.P. [Balyts'kyi, K.P.]; GUREVICH, M.I. [Hurevych, M.I.]

Antitumor vaccination. Fiziol. zhmr. [Ukr.] 5 no.5:650-655 S-0 159
(MIRA 13:3)

1. Institut fiziologii in. A.A. Bogomol'tsa AN USSR, laboratoriya
kompenzatornykh zashchitnykh funktsiy i laboratoriya fiziologii
krovoobrashcheniya i dykhaniya.

(CANCER) (ULTRASONIC WAVES--THERAPEUTIC USE)

BALITSKIY, K.P. [Balyts'kyi, K.P.], kand. med. nauk; GUREVICH, M.I.,
doktor med. nauk

Effect of ultrasound on the development of experimental carcinoma.
Visnyk AN URSR 30 no.8:56-59 Ag '59. (MIRA 13:1)
(ULTRASONIC WAVES—PHYSIOLOGICAL EFFECT)
(CANCER)

GUREVICH, Moisey Isaevich; GOREV, N.N., otv.red.; YANKOVSKAYA, Z.B.,
red.izd-va; SKLYAROVA, V.Ye., tekhn.red.

[Investigation of the pathogenesis of arterial hypertension]
Issledovaniia patogeneza arterial'noi gipertonii. Kiev, Izd-vo
Akad.nauk USSR, 1960. 115 p. (MIRA 14:2)

1. Deystvitel'nyy chlen AMN SSSR (for Gorev).
(HYPERTENSION)

BALITSKIY, K.P.; GUREVICH, M.I. (Kiyev)

Influence of ultrasound on the biological properties of malignant tissue. Pat. fiziol. i eksp. terap. 4 no.3:31-35 My-Je '60.

(MIRA 13:7)

1. Iz laboratorii kompensatornykh i zashchitnykh funktsiy (zav. - akad. AN USSR P.Ye. Kavetskiy) i laboratorii krovoobrashcheniya i dykhaniya (zav. - deystvitel'nyy chlen AMN SSSR N.N. Gorev) Instituta fiziologii imeni A.A. Bogomol'tsa AN USSR.

(ULTRASONIC WAVES--PHYSIOLOGICAL EFFECT) (CANCER)

KAVETSKIY, R.Ye., akademik; GUREVICH, M.I., doktor meditsinskikh nauk

Nikolai Nikolaevich Gorev; on his 60th birthday. Pat. fiziol. i
eksp. terap. 4 no.3:92-93 My-Je '60. (MIRA 13:7)

1. Akademiya nauk USSR, (for Kavetskiy).
(GOREV, NIKOLAI NIKOLAEVICH, 1900-)

GUREVICH, M.I. [Hurevych, M.I.]; SIROTINA, M.F. [Syrotina, M.F.]

Effect of ultrasonic vibrations on the blood. *Fiziol. zhur.* 6
no.1:73-78 Ja-F '60. (MIRA 13:5)

1. Institut fiziologii im. A.A. Bogomol'itsa AN USSR, labora-
toriya fiziologii krovoobrashcheniya i dykhaniya.
(ULTRASONIC WAVES--PHYSIOLOGICAL EFFECT) (BLOOD)

KAVETSKIY, R.Ye. [Kavets'kyi, R.IE.]; GUREVICH, M.I. [Gurevych, M.I.]

Sixtieth birthday of N.N.Gorev, member of the Academy of Medical Sciences of the U.S.S.R. Fiziol. zhur. [Ukr.] 6 no.3:418-420 My-
Je '60. (MIRA 13:7)

(GOREV, NIKOLAI NIKOLAEVICH, 1900-)

GUREVICH, M. I.

"Reflex regulation of the cardiovascular system" by V. V. Frol'kis.
Reviewed by M. I. Gurevich. Fiziol. zhur. 46 no. 3: 367-368 Mr '60.

(MIRA 14:7)

(CARDIOVASCULAR SYSTEM) (REFLEXES)
(FROL'KIS, V. V.)

GUREVICH, M.I. [Hurevych, M.I.]

Experimental investigation of the pathogenesis of arterial hypertension. Fiziol. zhur. [Ukr.] 7 no.3:385-394 My-Je '61.

(MIRA 14:5)

1. Laboratoriya fiziologii krovoobrashcheniya Instituta fiziologii
im. A.A.Bogomol'tsa AN USSR, Kiyev.
; (HYPERTENSION)

VAYSMAN, G.A.; GUREVICH, M.I.; SKVIRSKAYA, Ye.S.

Study on the stability of solutions of some medicinal substances
under the action of ultrasonics. Apt. delo 10 no.5:11-15 S-0 '61.
(MIRA 14:12)

1.Kiyevskiy institut usovershenstvovaniya vrachey i Institut
fiziologii imeni A.A.Bogomol'tsa AN USSR.
(ULTRASONIC TESTING) (DRUGS)
(SOLUTIONS (PHARMACY))

27.1150

39855

S/238/62/008/002/001/004

1015/1215

AUTHOR: Vyshatina, O. I., Gurevych, M. I. and Chang-Ch'i

TITLE: Changes in ECG in normal animals and in animals with experimental hypertension following the introduction of aminazine

PERIODICAL: Fiziologichnyy zhurnal, v. 8, no. 2, 1962, 198-204

TEXT: The effect of aminazine on the cardio-vascular system has been insufficiently studied until now. ECG studies on 6 rabbits in 3 experimental series show that aminazine brought about a marked decrease in the R-wave, an increase in the T-wave, and a certain increase in the ST-interval. In cases of experimental hypertension in animals the untoward effects of aminazine could be related to myocardial hypertrophy and coronary insufficiency, whereas in normal animals aminazine affected the metabolic processes in the myocardium resulting from extracardial influences upon the heart. There are 3 figures.

ASSOCIATION: Laboratoriya fiziologii krovoobigii Instituta fiziologii im O. O. Bogomol'tsya Akademii nauk URSR, (Laboratory of Circulation Physiology, Institute of Physiology im. O. O. Bogomolets, Academy of Sciences UKr SSR) Kiev

SUBMITTED: July 20, 1961

Card 1/1

GUREVICH, M.I.; KVITNITSKIY, N.Ye.; KOCHEMASOVA, N.G.; POVZHITKOV, M.M.;
LEVCHENKO, M.N.

Experimental study of the pathogenesis of myocardial infarction.
Vrach.delo no.11:20-24 N '62. (MIRA 16:2)

1. Laboratoriya fiziologii krovoobrashcheniya (rukovoditel' -
doktor med.nauk M.I. Gurevich)Instituta fiziologii imeni A.A.
Bogomol'tsa AN UkrSSR.
(HEART-INFARCTION) (BLOOD-CIRCULATION, DISORDERS OF)

MAKARCHENKO, A.F., akademik, otv. red.; SIROTININ, N.N., zam. otv. red.;
KOLPAKOV, Ye.V., prof., red.; LAUER, N.V., doktor med. nauk,
red.; GUREVICH, M.I., doktor med. nauk, red.; KOLCHINSKAYA,
A.Z., kand. med. nauk, red.; YANKOVSKAYA, Z.B., red. izd-va;
BEREZOVSKAYA, D.N., tekhn. red.

"Oxygen deficiency; hypoxia and adaptation to it] Kislorod-
naia nedostatochnost'; gipoksiia i adaptatsiia k nei. Kiev,
Izd-vo AN USSR, 1963. 609 p. (MIRA 17:2)

1. Akademiya nauk URSR, Kiev. Instytut fiziologii. 2. Akademiya
nauk Ukr. SSR (for Makarchenko). 3. Deystvitel'nyy chlen AMN
SSSR (for Sirotinin).

GUREVICH, M.I.; GOLDFI, V.S.; ALEXANDROV, V.M.; KUDRIK, V.V.

Methodology of blood flow measurement in intact animals using
thermal resistors. Fiziol zhurn. 49 no.9:1175-1178 (1973)

(MZhN 19:14)

1. From the Laboratory of Circulatory Physiology, n.n.A. Bogomolets
Institute of Physiology, Academy of Sciences of the Ukrainian
S.S.R., Kiev.

GUREVICH, M.I. [Hurevych, M.I.]; KHOMUTOVSKIY, O.A. [Khomutovs'kyi, O.A.]
OLEYNIKOVA, T.N. [Oleinykova, T.M.]; BRATUS, V.V.

State of some submicroscopic structures and ribonucleoproteins
of the heart muscle in experimental myocardial infarction.
Fiziol. zhur. [Ukr] 9 no.5:622-631 S-0'63 (MIRA 17:4)

1. Laboratoriya fiziologii krovoobrashcheniya i morfologii
nervnoy sistemy Instituta fiziologii imeni A.A. Bogomol'tsa
AN UkrSSR, Kiyev.

GUREVICH, M.I.; POVHETKOV, M.M.

An experimental study of some components of the pathogenesis
of myocardial infarction. Cor Vasa 6 no.4:297-307 '64.

1. Bogomolets Institute of Physiology, Academy of Science,
Kiev, U.S.S.R.

GUREVICH, M.I.; POZHITKOV, M.M.

Significance of changes in the vascular tonus in the development of hemodynamic disorders in experimental myocardial infarct. Biul. eksp. biol. i med. 58 no.8:22-26 Ag '64.

(MIRA 18:3)

1. Laboratoriya fiziologii krovoobrashcheniya (rukoveditel' - doktor med. nauk M.I. Gurevich) Instituta fiziologii imeni A.A. Begomol'tsa (dir. - akademik AN UkrSSR A.F. Makarchenko) AN UkrSSR, Kiyev. Submitted Nov. 22, 1963.

GUREVICH, M. I.

"Impact of a Plane Plate "against the Surface of the Fluid in a Half-Circular Channel," Prik. Mat. i Mekh., No.2, 1939

GUREVICH, M. I.

"Mass Adjoining a Lattice Constructed of Rectangles," Prik. Mat. i Mekh.,
No.2, 1940

GUREVICH, M. I.

USSR

N. Ye. Zhukovskiy Central Aerohydrodynamics Inst., (-1946-)

"symmetrical Flow with Cavitation Over a Flat Plate
Placed Between Parallel walls."

Iz. Ak. Nauk, Otdel. Tekh. Nauk, No. 4, 1946

Berezin, M.I.

Gurevich, M. I. Lift force of an arrow-shaped wing. *App. Math. Mech. [Akad. Nauk SSSR. Prikl. Mat. Mech.]* 10, 513-520 (1946). (Russian. English summary).

If a compressible flow has the velocity vector $(u, v, W+w)$, $W = \text{constant}$, and the ratios $u/W, v/W, w/W$ are assumed to be small of first order, then u, v, w satisfy the Prandtl-Glauert equation $\varphi_{rr} + \varphi_{zz} + (1 - M^2)\varphi_{tt} = 0$, M being the stream Mach number and $(u, v, w) = \text{grad } \varphi$. If $M > 1$ and the flow is conical (i.e., u, v, w are functions of $\xi = x/z$, $\eta = y/z$), then the determination of the flow within the Mach cone $\xi^2 + \eta^2 < A^2$, $A^2 = 1/(M^2 - 1)$, reduces to the integration of the Laplace equation.

Set $\xi + i\eta = Re^{i\theta}$, $R = 2A\xi/(1 + c^2)$, $c = A\beta$. Then w is the real part of an analytic function $w + is = A f(r)$, $|r| \leq 1$, and $u + iv = -\frac{1}{2}f(df + r^{-1}d\bar{f})$. The author derives these relations and establishes the boundary conditions for w and s in the case of a flow past a plane slightly inclined delta-wing, contained or not within the Mach cone. The corresponding functions $w + is$ can be constructed by standard methods and explicit expressions are obtained for the lift coefficient C_L . If the wing is not contained within the Mach cone, $C_L = 4\beta(M^2 - 1)^{-1}$, β being the angle of attack [cf. Ackeret, Z. Flugtech. Motorluftschiffahrt 16, 72-74 (1933)]. The expression for a wing contained within the Mach cone is more complicated and involves elliptic integrals.

L. Bers (Syracuse, N. Y.)

Source: Mathematical Reviews.

Vol 8 No. 87

WICKISH, P. L.

Some Notes on Static Theories of Cavitation Flow
Around a Plate. (in Russian). M. I. Gurevich
Bulletin of the Academy of Sciences of U.S.S.R.
(Section of Technical Sciences), no. 2, 1947, p. 143-
150.

Reviews existing methods for the solution of the
problem of cavitation. Equations connected with
these methods are analyzed and advantages and
disadvantages of each method are indicated.

GUREVICH, M. I.

Gurevich, M. I. Flow past an axi-symmetrical semi-body of finite drag. *Appl. Math. Mech. [Akad. Nauk SSSR, Prikl. Mat. Mekh.]* 11, 97-104 (1947). (Russian, English summary)

An axially-symmetric flow is defined by the velocity potential $\varphi(r, \theta) = A(r^n P_n(\cos \theta) - 1) - Ur \cos \theta$, where r and θ are polar coordinates in a meridian plane and $-2 \leq n \leq 1$. The corresponding stream function is

$$\psi(r, \theta) = -A(P_n \cos \theta - P_{n+1})r^{n+1} + \frac{1}{2}Ur^2 \sin^2 \theta.$$

The streamline for $\psi(r, \theta) = 0$ is used to define an axially-symmetric body for which $r = r_1$ when $\theta = 0$ and $r \rightarrow \infty$ as $\theta \rightarrow \pi$ (except when $n = 2$ which gives a sphere). The drag force on this class of bodies is then computed and the author finds that it is zero for $-2 \leq n < 0$ and infinite for $0 \leq n < 1$.

The author then attempts to find a body of finite, but positive, drag by using the velocity potential

$$\varphi(r, \theta) = \int_{-N}^0 a(n)(r^n P_n - 1)dn - Ur \cos \theta, \quad -2 \leq -N \leq 0.$$

Source: *Mathematical Reviews*, 1948, Vol. 9, No. 2

where it is assumed that (1) $\sum_{n=-N}^0 a(n)dn$ converges absolutely, and (2) for some sufficiently small $\epsilon > 0$ the function $a(n)$ does not change sign in the interval $-2 \leq n \leq 0$. An axially-symmetric body may be defined by the streamlining $\psi(r, \theta) = 0$ for the stream function corresponding to $\varphi(r, \theta)$. Then, if D is the drag and x and y rectangular coordinates in a meridian plane, the author finds the asymptotic form of the body as $x \rightarrow -\infty$ to be

$$y \approx (8D/\rho \pi)^{1/4} (|x|^{1/4} (\log |x|)^{1/4} (1 - \log \log |x| / 8 \log |x|)^{1/4}).$$

The asymptotic form of $a(n)$ as $n \rightarrow 0$ is given by

$$a(n) \approx -(1/\pi)(D/\rho \pi r)^{1/4}.$$

It is of interest to note that the asymptotic form of the body is identical with that obtained by N. Levittsen for the asymptotic shape of an infinite cavity behind an axially-symmetric body [Ann. of Math. (1) #7, 704-730 (1946); these Rev. 8 419]. J. V. Wehausen (Walls Church, Va.).

GUREVICH, M.

USSR/Flow, Ultrasonic
Wing profiles

Feb 1947

"Supersonic Flow About a Triangular Wing," M. I.
Gurevich, 4 pp15T13
"Pril Mat Mekh" Vol XI, No 2, p 247-360

PA A triangular wing in a nonviscous gas slightly inclined to the plane $y = 0$. The supersonic velocity W of the flow is directed along the z -axis. Additional velocities u , v , w are insignificant compared with W . The problem is reduced to the determination of function $Af(t)$, where t is a complex variable and $w = Re \frac{1}{Af(t)}$. Properties of control supersonic flow employed further in the work are

15T13

USSR/Flow, Ultrasonic (Contd)
Wing profiles

Feb 1947

outlined in brief, and the formulae for the function $Af(t) = Af(t)$ given for five major cases.

15T13

PA 20T4

GUREVICH, M. I.

Mar 1947

USSR/Aerodynamics
Wings - Design
Velocity, Ultrasonic

"On the Thin Triangular Wing at Supersonic Speed,"
M. I. Gurevich, 2 pp

"Prikladnaya Matematika i Mekhanika" Vol XI, No 3

A solution is given for the equation of a wing taken
partially outside the machine cone. The flow inside
the machine cone is determined by the methods of
Maskind and Falkovich.

20T4

Gerasim, M. I. Remarks on E. Vasilescu's papers concerning axisymmetric flows with free boundaries. Doklady Akad. Nauk SSSR (N.S.) 57, 763-764 (1947). (Russian)
E. Vasilescu [C. R. Acad. Sci. Paris 196, 896-898, 1284 (1933)] gave without proof a method of reducing an axisymmetric flow with free streamlines to a two-dimensional flow with streamlines identical with those in a meridional plane of the axisymmetric flow but with the free stream boundary condition replaced by another condition. In the present note the author shows in two simple examples that Vasilescu's method must be corrected. V. M. Kondratenko

Source: Mathematical Reviews, 1948, Vol. 9, No. 5

GUREVICH, M. I.

USSR

"Semibody of Finite Resistance in a Subsonic Flow.
Generalized Conical Supersonic Flows." Thesis for
degree of Dr. Physicomathematical Sci. Sub 26 Apr
49, Inst of Mechanics, Acad Sci USSR.

Summary 82, 18 Dec 52, Dissertations Presented For
Degrees in Science and Engineering in Moscow in 1949.
From Vechernyaya Moskva, Jan-Dec 1949.

GUREVICH, M. I.

USSR/Mathematics - Impact by a Jet Jan/Feb 52

"Impact on a Plate During Circulatory Flow by a Discontinuous Jet," M. I. Gurevich, Moscow

"Prik Matemat i Mekh" Vol XVI, No 1, pp 116-118

Problem was previously solved by N. Ye. Zhukovskiy ("Impact of Two Balls, One Swimming in Liquid" 1948), by M. A. Lavrent'yev and M. V. Keldysh ("Solution of Problems Concerning Impact by Water," Trudy TsAGI" No 152, 1935) and L. I. Sedov ("Plane Problems of Hydrodynamics and Aerodynamics" 1950). Gurevich solves problem in the case where a mass is added to curvilinear plate on basis of previously mentioned methods. Received 6 Oct 51.

203T66

✓ 3542. Gurevich, M. L. and Khavkina, N. D. (Potential) flow around a slightly vibrating contour (in Russian). *Fizika, Mat. Mekh.* 17, 2, 593-603, Sept./Oct. 1953.

Two-dimensional (flat) potential flow of an ideal incompressible, light fluid is assumed. Mathematical form, either of potential or of conformal transformation on half plane, for a rigid contour coinciding with the vibrating contour at a certain moment, is assumed known, i.e., arbitrarily given. To avoid mathematical difficulties, only first approximation in stating boundary conditions is involved. Moreover, the flow is considered symmetrical to the axis coinciding with flow direction, and the vibration harmonic. Finally, pressure on the free boundary is assumed constant and equal to that in the stream at infinity. Computation is based on previous papers by Chernich, Sledov (in Russian), and Strutinsky (Proc. Roy. Soc., 1923). Solution involves functions related to error integral (in particular case of vibration of a flat strip it is shown to be easily integrable). It is in a form of two terms: the first depends on the contour shape and causes no waves in the flow; the other causes waves, these being independent of contour shape. The latter influences only amplitude and phase of waves.

B. Szekenciawski, Canada

PR
56-55

GUREVICH, M. I.
GUREVICH, M. I.

U S S R

Gurevič, M. I. On some solutions of the wave equation.

Dokl. Akad. Nauk SSSR (N.S.) 97, 385-390 (1954). Tz F77

(Russian)

If the wave equation

$$(1) \quad \phi_{rr} + \phi_{\theta\theta} - \phi_{zz} = 0$$

is transformed through the substitution

$$x = -r \frac{\cos \sigma}{\sinh \delta}, \quad y = r \frac{\sin \sigma}{\sinh \delta}, \quad z = -r \coth \delta,$$

it becomes

$$(2) \quad \phi_{rr} + \phi_{\theta\theta} = \frac{1}{\sinh^2 \delta} \frac{\partial}{\partial r} \left(r^2 \frac{\partial \phi}{\partial r} \right).$$

The author finds solutions of equation (1) inside the cone $z^2 - x^2 - y^2 = 0$ ($\epsilon > 0$), where $r = (z^2 - x^2 - y^2)^{1/2}$ is read. Solutions of (1) are written in the form $\phi = \sum a_n r^n \phi_n$, where a_n is r must satisfy the equation

$$\frac{d^2 a_n}{dr^2} + \frac{r^2 a_n - n^2 n + 1}{\sinh^2 \delta} \phi_n = 0.$$

An iterative procedure is given for the determination of ϕ_n in terms of arbitrary harmonic functions. In any given physical problem, these harmonic functions are determined from the boundary conditions.

C. G. Miquel

SOV/124-58-11 12550

Translation from: Referativnyy zhurnal, Mekhanika 1958, Nr 11, p 86 (USSR)

AUTHORS: Gurevich, M. I., Pykhteyev, G. N.

TITLE: On Some Methods of the Solution of Theoretical Problems Concerning a Heavy Liquid Jet (O nekotorykh metodakh resheniya zadach teorii struy tyazheloy zhidkosti)

PERIODICAL: Tr. Mosk. tekhn. in-ta rybn. prom-sti i kh-va, 1957, Nr 8, pp 48-65

ABSTRACT: Presentation of a paper by Marchi (Marchi, Enrico, Ann. mat. pura ed appl., 1953, Vol 35, pp 327-341; RZhMekh, 1955, Nr 1, abstract 154), together with a description of the Woronetz method (Woronetz Constantin, C. r. Acad. Sci., 1953, Vol 236, Nr 3, pp 271-273; RZh Mekh, 1953, Nr 1, abstract 144). The authors adduce a solution of the Marchi problem by means of the Woronetz method. A detailed computation is given for a single case, which shows an almost identical coincidence of the numerical results obtained by the Marchi method and the Woronetz method. This is followed by a brief explanation of the well-known solution by N. Ye. Kochin relative to the flow of a heavy liquid through a spillway outlet. Thereupon the same problem

Card 1/2

SOV/124 58-11 12550

On Some Method of the Solution of Theoretical Problems Concerning a Heavy Liquid

is solved by the Marchi and Woronetz methods. It is shown that these approximate methods for the solution of the exact problem yield a rougher approximation than the exact solution of the linearized problem set forth by N. Ye. Kochin. The mean depth at infinity obtained by the Marchi method coincides with N. Ye. Kochin's result. The Woronetz method yields a less accurate result.

N. N. Moiseyev

Card 2/2

Gurevich, M.I.

Distr: bEhf/4F1

7/14/2

533.6.011.3

Concerning the Linearization of the
Gas Dynamics Equations

Prikl. Mat. Mekh.

21(3).437-438

1957

5
2

M.I. Gurevich, M.D. Khanskid U.S.S.R.

The objective of this is to show considerable sensitivity
of the solution of the gas dynamics equations to the
linearisation of boundary conditions. The plane
subsonic flow of a non-viscous gas past an infinite plate
is considered. The equation of continuity is applied in
a linearised form in accordance with Prandtl-Glauert.
In laying down precise boundary conditions, an area of
the flow near the leading edge is disregarded. The lift-
Mach number relationship differs from that in the Prandtl-
Glauert theory. The formulae is not applicable for
large Mach numbers. Bibl. 2.

10(2)

AUTHOR:

Gurevich, M. I.

SOV/20-124-5-10/62

TITLE:

Unstabilities of Some Jet-like Flows With Free Surfaces
(Ob neustoychivosti nekotorykh struynykh techeniy so svobodnymi
poverkhnostyami)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 124, Nr 5, pp 998 - 1000
(USSR)

ABSTRACT:

By a simple example the author demonstrates that the neutral stability of the potential of velocity not necessarily entails the neutral stability of the free surface. The problem in what measure the neutral disturbances may be considered stable in the usual sense, is set aside. The present paper is concerned with the problem of an even current with the finite depth h of an ideal incompressible fluid with no gravity of the density φ . The velocity of the undisturbed current is assumed to be parallel to the ground, the pressure p above the free surface to be constant and the density of the medium above the free surface to be equal to zero. The velocity potential ψ of the unsteady current is represented by the form

Card 1/3

Unsteadiness of Some Jet-like Flows With Free Surfaces SOV/20-124-5-10/62

$\varphi = vx + v \operatorname{Re} [C \operatorname{ch} k(y + h)e^{ikx}]$. Here C is assumed to be a function of the time t . The potential φ conforms to the equation of Laplace and on the ground $(\partial \varphi / \partial y)_{y+h} = 0$ holds.

The Lagrange integral for the free surface is then written down. The condition $vC \operatorname{ch} k(y + h)e^{ikx} + Cikv^2 \operatorname{ch} k(y + h)e^{ikx} = 0$; $C = \frac{\partial C}{\partial t}$ holds for on the free surface. $C = C_0 e^{-ikvt}$ results after some calculations. The velocity potential φ is neutrally stable, in the sense of Fox and Morgan. The condition that the fluid parts do not leave the free surface $y = \eta(t, x)$ is then written down. The function $\eta(t, x)$ contains secular structures and the free surface is unstable. Examples may be mentioned to show that the velocity potential and the elevations of the free surface are simultaneously neutrally stable. To facilitate matters the author examines a current of infinite depths with a horizontal free surface and he also considers the capillary forces. A vacuum is assumed underneath the current. This problem is an exception to the wellknown problem of stability of the dividing line of two mediums with different densities. The capillary forces probably repress

Card 2/3

Unsteadiness of Some Jet-like Flows With Free Surfaces SOV/20-124-5-10/62

the secular structures of not only in the examined example but also in more general cases. There are 1 figure and 2 references, 1 of which is Soviet.

ASSOCIATION: Moskovskiy tekhnicheskiy institut rybnoy promyshlennosti i khozyaystva im. A. I. Mikoyana (Moscow Technical Institute for the Fisheries Industry and -Economy imeni A. I. Mikoyan)

PRESENTED: November 10, 1958, by L. I. Sedov, Academician

SUBMITTED: November 5, 1958

Card 3/3

GUREVICH, M. I. (Moscow)

"The Theory of Liquid Streams (Jets) of Perfect Fluids."

report presented at the First All-Union Congress on Theoretical and Applied Mechanics, Moscow, 27 Jan - 3 Feb 1960.

S/040/61/025/006/009/021,
D299/D304

AUTHOR: Gurevich, M.I. (Moscow)

TITLE: Influence of capillary forces on the compression coefficient of jets

PERIODICAL: *Prikladnaya matematika i mekhanika*, v. 25, no. 6,
1961, 1060 - 1067

TEXT: The small-parameter method is used to solve jet-flow problems, capillary forces being taken into account. The superposition of linearized capillary waves on jet flows is considered. As the article is of an exploratory character, only a very simple problem of jet-flow theory is considered, namely plane, symmetric jet flow of an ideal, weightless, incompressible fluid (see Fig. 1); surface tension is taken into account. The width of the orifice is $2l$, of the jet - 2δ , the compression coefficient is $k = \delta/l$. Boundary conditions on free surface: The atmospheric- and fluid pressure are denoted by p_1 and p respectively, the coefficient of surface tension - by α , the discharge by $q = v_0\delta$, the angle between the ve-

Card 1/76

S/040/61/025/006/009/021

D299/D304

Influence of capillary forces on ...

locity v and the x -axis - by θ ; the dimensionless quantities V and a are introduced:

$$V = \frac{v}{v_0}, \quad a = \frac{\alpha}{\rho v_0 q} = \frac{\alpha}{\rho v_0^2 \delta}; \quad (2.5)$$

thereupon $V = aq \frac{d\theta}{d\varphi} + \sqrt{1 + a^2(q \frac{d\theta}{d\varphi})^2}, \quad (2.6)$

where φ is the real part of the complex flow-potential. The problem can be tentatively solved by the method of successive approximations, taking a as a small parameter; below, only the first two approximations are considered. Solution of problem in the second approximation. The auxiliary function

$$\Omega = \omega - \omega_1 = \ln \frac{dw}{w dz} - \ln \frac{\sqrt{1-t+i\sqrt{1+t}}}{\sqrt{2}} \quad (4.1)$$

is introduced, assuming $V(t)$ as known on the interval $-1 \leq t \leq 1$ of the real axis; ω is Zhukovskiy's function. In the second approximation, one obtains:

Card 2/76

S/040/61/025/006/009/021
D299/D304

Influence of capillary forces on ...

$$\Omega = \ln \left(1 + a_1 \frac{\sqrt{1+t}}{\sqrt{1-t}} \right) + \frac{2i}{\pi} \sqrt{1-t^2} \theta(a_1, t) \quad (5.2)$$

$$\theta(a_1, t) = \int_0^{a_1} \frac{\ln [a_1 \sqrt{1+t} / \sqrt{1-t}]}{1-t-a_1^2(1+t)} da_1$$

where $a_1 = \pi a/2$. Using formula (5.2) and formula

$$dy = \frac{\delta}{\pi \sqrt{2}} \left[\frac{1}{\sqrt{1+t}(1+a_1 \sqrt{1+t} / \sqrt{1-t})} + \frac{\sqrt{1-t}}{(1+t)(1+a_1 \sqrt{1+t} / \sqrt{1-t})} \frac{2}{\pi} \sqrt{1-t^2} \theta(a_1, t) \right] dt \quad (6.4)$$

one obtains for the coefficient of compression k

$$k(a) = k(0) \left\{ 1 + \frac{a}{\pi \rho l v_0^3} \left[2 \ln \frac{2 \rho l v_0^3}{a(2+\pi)} + \pi + 2 + 2 \ln 2 \right] \right\} \quad (\text{where } k(0) = \pi/(\pi+2)) \quad (6.9)$$

$$\text{or } k(a) \approx 0.611 \left\{ 1 + \frac{0.3183}{\rho l v_0^3} \left[2 \ln \frac{0.30 \rho l v_0^3}{a} + 6.52 \right] \right\} \quad (6.10)$$

Capillary waves on surface of flow of finite depth: The above solu-
Card 3/76

S/040/61/025/006/009/021

D299/D304

Influence of capillary forces on ...

tion is not unique, as capillary waves may exist on the free surface. It is shown how capillary waves of small amplitude are superposed on the flow under consideration. Let δ denote the mean depth of the flow and v_0 the velocity at some point D (see Fig. 3). The solution is sought in the form

$$\frac{dw}{dz} = v_0 \left[1 - \kappa A \sin \frac{\kappa(w + \varphi_0)}{v_0} \right], \quad (7.1)$$

where w is the complex potential, A , κ , φ_0 are real constants, and $Z = X + iY$. Neglecting quantities which are of higher order, one obtains

$$\underbrace{v^0}_{v^0} = v_0 \left[1 - \kappa A \sin \frac{\kappa}{v_0} (\varphi + \varphi_0) \operatorname{ch} \kappa \delta \right], \quad \theta^0 = \kappa A \cos \frac{\kappa}{v_0} (\varphi + \varphi_0) \operatorname{sh} \kappa \delta$$

hence

$$\kappa \operatorname{th} \kappa \delta = \frac{\rho v_0^2}{\alpha} \quad (7.3)$$

Card 4/76

S/040/61/025/006/009/021
D299/D304

Influence of capillary forces on ...

Equation (7.3) determines the frequency κ , at which small sinusoidal capillary waves are possible. For comparatively small α and sufficient depth, then $\kappa\delta \approx 1$ and $\kappa \approx \rho v_0^2/\alpha \gg 1$. The function

$$\omega^0 = \ln \frac{dw}{v_0 dz} = \ln V^0 - i\theta^0 \quad (7.5)$$

is introduced, to which the term ω_+ is added which corrects the boundary conditions; thus the following Zhukovskiy function is considered

$$\omega = \omega_1 + \Omega + \omega^0 + \omega_+ = \ln V - i\theta. \quad (7.6)$$

Determination of auxiliary function $\omega_+ = V_+ - i\theta_+$. This reduces to well-known problem of finding a function of a complex variable which is holomorphic in the upper half-plane, under the condition that on part of the boundary $\text{Im } \omega_+$ is given:

$$\theta_+ = 0 \text{ for } t < -1 \quad (8.1)$$

Card 5/76

S/040/61/025/006/009/021
D299/D304

Influence of capillary forces on ...

$$- \operatorname{Im} \omega_+ = \theta_+ = - \kappa A \cos \left[- \frac{x\delta}{\pi} \ln(1+t) + \frac{\kappa \varphi_0}{v_0} \right] \operatorname{sh} x\delta \text{ for } t > 1, \quad (8.2)$$

and on another part of the boundary, $\operatorname{Re} \omega_+$:

$$\ln v_+ = 0 \text{ for } -1 < t < 1. \quad (8.6)$$

By means of Schwartz's formula one obtains

$$\frac{\omega_+}{\sqrt{t^2 - 1}} = \operatorname{sh} x\delta \frac{\kappa A}{\pi} \int_1^\infty \frac{\cos [(-x\delta/\pi) \ln(1+\xi) + x\varphi_0/v_0] d\xi}{\sqrt{\xi^2 - 1} (\xi - t)} \quad (8.7)$$

There are 3 figures and 6 references: 4 Soviet-bloc and 2 non-Soviet-bloc (including 1 translation). The reference to the English-language publication reads as follows: E.B. McLeod, The explicit solution of a free boundary problem involving surface tension. Journal of Rational Mechanics and Analysis, 1955, v. 4, no. 4.

SUBMITTED: August 23, 1961

Card 6/7

GUREVICH, M.I. (Moskva)

Vortex near a free surface. Prikl. mat. i mekh. 27 no.5:899-902
S-0 '63. (MIRA 16:10)

"APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000617420009-2

GUREVICH, M.I., doktor fiziko-matematicheskikh nauk, prof.

Generalized supersonic conical flows. Trudy MIIT no.162:150-164
'63. (MIRA 18:3)

APPROVED FOR RELEASE: 03/20/2001

CIA-RDP86-00513R000617420009-2"

БОГОМОЛЬЦЕВ, М.І. [Богомольцев, М.І.]

Experimental myocardial infarct. Fiziol. zhur. [Ukr.] 9 no.2:
158-171 Mr-Ap '63. (MEPA 1E:3)

1. laboratoriya fiziologii krovoobrashcheniya Instituta fiziologii
ta. Bogomol'tsa AN UkrSSR, Kiyev.

L 44342-65 EXT(1)/ENP(m)/EVA(d)/FCS(k)/EVA(l) Pd-1
ACCESSION NR: AF5010634 CR/0046/65/d29/002/0355/0009

AUTHOR: Gurevich, M. I. (Moscow)

TITLE: Effect of aperture on resistance of a jet flowed about by an isolated stream

SOURCE: Prikladnaya matematika i mehanika, v. 29, no. 2, 1965, 355-356

TOPIC TAGS: jet stream, jet nozzle

ABSTRACT: The author claims that it is generally thought that if, on the surface of a body about which flows a continuous stream, an aperture is made, then the coefficient of resistance of the body is decreased. Using computations done by others, he concludes that when a wedge is put by the aperture opposing the incidental flow the aperture increases the coefficient of resistance, though in the opposite case it decreases it. Orig. art. has: 5 figures and 1 formula.

ASSOCIATION: none

SUBMITTED: 14Oct64

ENCL: 00

SUB CODE: 1C, AS

NO REF Sov: 002

OTHER: 002

Card 1/1 *La*

GUREVICH, M.I.

Unsteadiness of certain flows with free surfaces. Dokl. AN
SSSR 124 no.5:998-1000 F '59. (MIR 12:3)

1. Moskovskiy tekhnicheskiy institut rybnoy promyshlennosti i
khozyaystva imeni A.I. Mikoyana. Predstavлено akademikom L.I.
Sedovym.

(Fluid dynamics)

SHIROKOV, Sergey Ivanovich, inzh. [deceased]. Prinimali uchastiye:
ZAYETS, V.N., dotsent; GUREVICH, M.I., dotsent. STADNIKOV, G.D.,
inzh., retsenzent; SHUL'MAN, L.G., inzh., retsenzent; DUGINA,
N.A., tekhn.red.

[Production of boilers] Kotel'noe proizvodstvo. Izd.3. Moskva,
Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1960. 280 p.
(MIRA 14:3)

(Boilers)

GUREVICH, M.I.; PYKHTEYEV, G.N.

Approximate solution to the problem of the flow of a heavy ideal
incompressible liquid emerging from under a shield. PMTF no.2:
3-14 Jl-Ag 60. (MIRA 14:6)
(Hydrodynamics)

BR

PHASE I BOOK EXPLOITATION

SOV/5980

Gurevich, Maksim Isidorovich

Teoriya struy ideal'noy zhidkosti (Streamline Theory of the Ideal Fluid) Moscow, Fizmatgiz, 1961. 496 p. 6500 copies printed.

Ed.: S.N. Shustov; Tech. Ed.: S.N. Akhlamov.

PURPOSE: This book is intended for readers familiar with hydrodynamics.

COVERAGE: The author has attempted 1) to systematize the modern theory of streamlines and in so doing fill a gap in Soviet literature, and 2) to present a clear view of the theory in order to contribute to deeper studies of the theory. The classical problems in the theory are discussed in relative detail, and solutions of simpler problems, especially those with available numerical results, are given. The last part of the book, including material on the existence and uniqueness of solutions, as well as on supersonic streamline flows, has been

Card 1/7

Streamline Theory of the (Cont.)

SOV/5980

written as a survey. The author thanks Leonid Ivanovich Sedov, G.A. Dombrovskiy, Ya.I. Sekerzh-Zen'kovich, S.V. Fal'kovich, L.A. Epshteyn, and N.A. Slezkin. There are 260 references: 115 Soviet (7 translations), 75 English, 30 German, 28 French, 10 Italian, 1 Polish, and 1 Rumanian.

TABLE OF CONTENTS:

Foreword	6
Ch. I. Introduction to the Theory of Streamlines in Steady Plane Flows	9
1. Some information on plane-flow kinematics	9
2. Basic assumptions in the theory of streamlines	16
3. Kirchhoff's method	20
4. N.Ye. Zhukovskiy's method	28
5. S.A. Chaplygin's singular-point method	45
Ch. II. Outflow From Vessels	54
6. Outflow from oblique-wall vessels	54
7. A symmetrical orifice in a rectangular vessel	60

Card 2/7

Streamline Theory of the (Cont.)

SOV/5980

8. Outflow from a slot between two planes	64
9. A vessel with a funnel-shaped bottom and a Borda headpiece	67
10. Lateral outflow from a channel	73
11. Outflow from a rectangular vessel with bottom and lateral orifices	82
Ch. III. Flow of Unbounded Stream Past Polygonal Obstacles	
12. Flow past a wedge	88
13. Streamline flow past a plate with a frontal stagnation-region formation	88
14. Flow past a plate with streamlines separating off its upper surface	102
15. Criticism of the theory of streamlines	110
Ch. IV. Flow Past Curved Obstacles	
16. Levi-Civita's method	117
120	120
120	120

Card 3/7

Streamline Theory of the (Cont.)

SOV/5980

17. Flow past a circular cylinder	129
18. Villat's integrodifferential equation. Problems in the existence and uniqueness of the solution	142
19. L.I. Sedov's method	152
20. Inverse problem	157
Ch. V. Flow Past Bodies at Low Cavitation Numbers	160
21. Cavitation phenomenon	160
22. Cavitational flow past a plate	168
23. Symmetrical cavitational flow past a wedge	183
24. Cavitational flow past a circular cylinder	193
25. Cavitational flow past a thin profile at an arbitrary incidence angle	203
Ch. VI. Bounded-Stream Flows Past Obstacles	213
26. Problem in a finite-width flow past a wedge	213
27. Flow past a plate in the presence of a wall	229

Card 4/7

Streamline Theory of the (Cont.)

SOV/5980

28. Flow past a lattice	239
29. Cylinder between two walls	249
30. Symmetrical cavitation flow past a wedge in a channel	258
31. Cavitation flow past a lattice	267
Ch. VII. Gliding Surfaces and Hydrofoils	274
32. Glide phenomenon. Gliding plate	274
33. Gliding on the surface of a fluid of finite depth. Tandem plates	281
34. Hydrofoil	289
Ch. VIII. Various Problems in Free Streamlines	306
35. Collision on streamlines. Cumulative charges. Armor-piercing by a streamline	306
36. Streamline flows with singularities within a fluid-filled space	317
37. Various problems in the theory of streamlines	326

Card 5/7

Streamline Theory of the (Cont.) SOV/5980

Ch. IX. Nonsteady Flows	339
38. Plane plate within an accelerated stream	339
39. Impact on a contour with separating streamlines flowing past it	346
40. Weakly perturbed streamline flows	354
41. Immersion of a wedge	375
Ch. X. Streamline Flows of a Compressible Fluid	385
42. S.A. Chaplygin's equations for steady plane gas flow	385
43. Precise solutions of S.A. Chaplygin's equations at subsonic velocities	389
44. S.A. Chaplygin's approximate method	410
45. Review of generalizations of S.S. Chaplygin's approximate method	420
Ch. XI. Axially Symmetrical Flows	429
46. Statement of the problem and approximate solution methods	429

Card 6/7

Streamline Theory of the (Cont.)

SOV/5980

47. Survey of various works on axially symmetrical streamline flows	440
48. Asymptotic law of streamline expansion	445
Ch. XII. Streamline Heavy-Fluid Flows. Calculating the Effect of Surface-Tension Forces	461
49. Precise solutions	461
50. Surface-tension effect on free-surface flows	468
51. Approximate solutions for a heavy fluid	472
Bibliography	484

AVAILABLE: Library of Congress

SUBJECT: Physics

Card 7/7

AD/wrc/bc
7-18-62

GUREVICH, M.I., dotsent, kand.tekhn.nauk

Heat transfer in the gasification heat exchange of an oxygen system
with a liquid pump. Trudy Ural. politekh. inst. no.108:89-96 '61.
(MIRA 16:9)

BASKAKOV, A.P.; GUREVICH, M.I.; RESHETIN, N.I.; RYSAKOV, N.F.;
SHALAYEV, N.B.; GIRSHFEL'D, V.Ya., red.; FRIDKIN, L.M.,
tekhn. red.

[General heat engineering] Obshchaya teplotekhnika. [By]
A.P. Baskakov i dr. Moskva, Gosenergoizdat, 1963. 391 p.
(MIRA 16:6)

(Heat engineering)

WIRELESS, M.I.

PHASE I BOOK EXPLOITATION SOV/6201 (25)

Vsesoyuznyy s"yezd po teoreticheskoy i prikladnoy mehanike. 1st, Moscow, 1960.

Trudy Vsesoyuznogo s"yezda po teoreticheskoy i prikladnoy mehanike,
27 yanvarya -- 3 fevralya 1960 g. Obzornyye doklady (Transactions of the
All-Union Congress on Theoretical and Applied Mechanics, 27 January to
3 February 1960. Summary Reports). Moscow, Izd-vo AN SSSR, 1962.
467 p. 3000 copies printed.

Sponsoring Agency: Akademiya nauk SSSR. Natsional'nyy komitet SSSR po
teoreticheskoy i prikladnoy mehanike.

Editorial Board: L. I. Sedov, Chairman; V. V. Sokolovskiy, Deputy Chairman;
G. S. Shapiro, Scientific Secretary; G. Yu. Dzhanelidze, S. V. Kalinin,
L. G. Loytsyanskiy, A. I. Lur'ye, G. K. Mikhaylov, G. I. Petrov, and
V. V. Rumyantsev; Resp. Ed.: L. I. Sedov; Ed. of Publishing House:
A. G. Chakhirev; Tech. Ed.: R. A. Zamarayeva.

Card 1/ 6

Transactions of the All-Union Congress (Cont.)

SOV/6201

(25)

PURPOSE: This book is intended for scientific and engineering personnel who are interested in recent work in theoretical and applied mechanics.

COVERAGE: The articles included in these transactions are arranged by general subject matter under the following heads: general and applied mechanics (5 papers), fluid mechanics (10 papers), and the mechanics of rigid bodies (8 papers). Besides the organizational personnel of the congress, no personalities are mentioned. Six of the papers in the present collection have no references; the remaining 17 contain approximately 1400 references in Russian, Ukrainian, English, German, Czechoslovak, Rumanian, French, Italian, and Dutch.

TABLE OF CONTENTS:

SECTION I. GENERAL AND APPLIED MECHANICS

• Artoholevskiy, I. I. Basic Problems of Modern Machine Dynamics	5
• Bogolyubov, N. N., and Yu. A. Mitropol'skiy. Analytic Methods of the Theory of Nonlinear Oscillations	25

Card 2/6

Transactions of the All-Union Congress (Cont.)	SOV/6201	5
Golitsyn, G. S., A. G. Kulikovskiy, and K. P. Stanyukovich. Magnetohydrodynamics		94
Gurevich, M. I. Theory of an Ideal-Fluid Jet		114
Ivanilov, Yu. P., N. N. Moiseyev, and A. M. Ter-Krikorov. Asymptotic Methods for Problems of Motion of a Fluid With Free Boundaries		135
Loytsyanskiy, L. G. Semiempirical Theories of the Interaction of the Processes of Molecular and Molar Exchange in the Turbulent Motion of a Fluid		145
Petrov, G. I. Boundary Layer and Heat Exchange at High Speeds		167
Sedov, L. I. On the Theory of Constructing Mechanical Models of Continuous Media		176

Card 4/6

GUREVICH, M.I., inzh.

Manufacture of large articles at brick plants. Stroi. mat. 10
no.11:14 N '64. (MIRA 18:1)

GUREVICH, M.I. (Moskva)

Sound conductivity of a fine-mesh lattice. Prikl. mat. i mekh.
28 no.5:956-958 S-0 '64.

(MIRA 17:11)

VAYSMAN, G.A.; GUREVICH, M.I.; SKVIRSKAYA, Ye.S.

Use of ultrasonics for the preparation of infusions and extracts
from alkaloid-containing plant stock. Apt. delo 11 nc.6:17-21
N-D'62
(MIRA 17:7)

1. Kiyevskiy institut usovershenstvovaniya vrachey.

VAYSMAN, G.A. [Vaisman, H.A.]; GUREVICH, M.I.; SKVIRSKAYA, Ye.S.
[Skvyrs'ka, IE.S.]; GORODINSKAYA, V.Ya. [Horodyn's'ka, V.IA.]

Using ultrasonic waves in the preparation on infusions
from alkaloid-and glucoside-bearing plants. Farmatsev.
zhur. 18 no.4:61-65 '63. (MIRA 17:7)

1. Kafedra tekhnologii lekarstv i galenovykh preparatov
Kiyevskogo instituta usovershenstvovaniya vrachey i
Laboratoriya krovoobrashcheniya i dykhaniya Instituta
fiziologii im. Bogomol'tsa AN UkrSSR.

Chernov, S. I.
POLYAK, M.A.; BIBIKOVA, A.P.; GUREVICH, N.I.

Studying the possibility of accelerating the vulcanization of
automobile inner tubes. Kauch. i rez. 16 no.5:30-32 My '57.
(MLRA 10:7)

1. Yaroslavskiy shinnyy zavod.
(Vulcanization) (Tires, Rubber)

ACCESSION NR: AP4015976

S/0040/63/027/005/0899/0902

AUTHOR: Gurevich, M. I. (Moscow)

TITLE: Vortex near a free surface

SOURCE: Prikl. matem. i mekhan., v. 27, no. 5, 1963, 899-902

TOPIC TAGS: vortex, free surface, underwater wing, ideal incompressible weightless fluid, conformal mapping, parametric variable, logarithmic singularity

ABSTRACT: In the basic studies on theory of underwater wings it is assumed that the free surface differs very little from the horizontal level of unperturbed fluid. This approach prevents application of the theory to the case of small submersions of a wing. Therefore it is valuable to study the properties of the case of small submersions with the help of a precise solution of the problem, even if the problem is simplified. In particular the author solves the plane problem of flow around a vortex by an ideal, incompressible, weightless fluid with a free surface. The flow is bounded from below by a hard horizontal wall. Problems closest to the one treated here have been solved by N. Simmons and A. A.

Card 1/2

ACCESSION NR: AP4015976

Nikol'skiy. Orig. art. has: 5 figures and 12 formulas.

ASSOCIATION: none

SUBMITTED: 27May63

DATE ACQ: 21Nov63

ENCL: 00

SUB CODE: AI

NO REF SOV: 004

OTHER: 002

Card 2/2

ACC NR: AT6036545

SOURCE CODE: UR/0000/66/000/000/0141/0142

AUTHOR: Gurevich, M. I.; Bershteyn, S. A.

ORG: none

TITLE: The role of changes in tissue partial oxygen pressure in the regulation of local blood circulation during acute hypoxia [Paper presented at the Conference on Problems of Space Medicine held in Moscow from 24 to 27 May 1966]

SOURCE: Konferentsiya po problemam kosmicheskoy meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Moscow, 1966, 141-142

TOPIC TAGS: hypoxia, circulatory system, oxygen consumption, blood pressure

ABSTRACT: A study was made of the character and direction of local vascular reactions as mechanisms of circulatory regulation during hypoxia. Acute hypoxia was induced in chloralose-nembutal anesthetized cats by making them breathe oxygen-poor gas mixtures. Changes in pO_2 and tissue blood flow were determined in upper hind leg muscles, abdominal epidermis, and the parietal region of the cerebral cortex. Blood pressure was measured on the femoral artery. Tissue pO_2 was measured by the polarographic method. Tissue blood flow was recorded thermoelectrically. A special device was used for synchronous recording of the dynamics of changes in tissue blood flow, tissue pO_2 , and systemic arterial pressure.

Card 1/2

ACC NR: AT6036545

It was found that during acute hypoxia, tissue oxygen supply is not uniform. The cerebral cortex receives the best oxygen supply at the expense of skeletal muscle, skin, and some other organs, as a result of a redistribution of blood accomplished by a complex of changes in peripheral vascular tonus.

Changes in local vascular resistance and adequate systemic arterial pressure provide a blood flow pattern satisfying tissue oxygen requirements.

The mechanisms of local vascular tonus regulation in hypoxia are not yet understood and require further study. [W.A. No. 22; ATD Report 66-116]

SUB CODE: 06 / SUBM DATE: 00May66

Card 2/2